




Introduction to CASA

Bjorn Emonts

National Radio Astronomy Observatory

CASA User Community Liaison







CASA

Common Astronomy Software Applications for Radio Astronomy


Primary data processing software *Karl G. Jansky Very Large Array (VLA)* and *Atacama Large Millimeter/submillimeter Telescope (ALMA)*, but frequently used also for other radio telescopes.



JIVE
Joint Institute for VLBI ERIC



CASA Team



Urvashi Rao Venkata (NRAO-SO)
Sandra Castro (ESO)
Darrell Schiebel (NRAO-CV)
Takeshi Nakazato (NAOJ)
Josh Marvil (NRAO-SO)

Bjorn Emonts (NRAO-CV)
Enrique Garcia (ESO)
Bob Garwood (NRAO-CV)
Kumar Golap (NRAO-SO)
Justo Gonzalez Villalba (ESO)
Pam Harris (NRAO-SO)
Yohei Hayashi (NAOJ)
Josh Hoskins (NRAO-CV)
Wataru Kawasaki (NAOJ)
Jorge Lopez (NRAO-CV)
Andrew McNichols (NRAO-CV)
Dave Mehringer (NRAO-CV)
Renaud Miel (NAOJ)
George Moellenbrock (NRAO-SO)
Federico Montesino (ESO)
Dirk Petry (ESO)
Neal Schweighart (NRAO-CV)
Kazuhiko Shimada (NAOJ)
Jan-Willem Steeb (NRAO-CV)
Takeshi Shakunaga (NAOJ)
Ville Suoranta (NRAO-CV)
Tak Tsutsumi (NRAO-SO)
Akeem Wells (NRAO-CV)
Wei Xiong (NRAO-ALBQ)

CASA Lead, Lead scientific development
Lead verification testing
Lead visualization, Infrastructure development
Lead Single Dish, Scientific development
Lead scientific validation

User Community Liaison
Infrastructure development
Infrastructure, Verification testing
Scientific development
Scientific development
Data visualization
Scientific development, Single Dish
Scientific development, Infrastructure
Scientific development, Single Dish
Infrastructure, Scientific development
Infrastructure, Scientific development
Scientific development, Verification testing
Scientific development, Single Dish
Scientific development
Infrastructure, Scientific development
Scientific development
Scientific development, Verification testing
Scientific development, Single Dish
Scientific, Infrastructure development
Scientific development, Single Dish
Infrastructure development
Scientific development, Verification testing
Verification testing
Infrastructure, Scientific development

ARDG (Algorithm Research & Development Group)

Sanjay Bhatnagar (NRAO) - ARDG Lead
Mingyu (Genie) Hsieh (NRAO)
Martin Pokorny (NRAO)
Preshanth Jagannathan (NRAO)
Srikrishna Sekhar (NRAO, IDIA)



CASA-VLBI

Ilse van Bemmel (JIVE)
Mark Kettenis (JIVE)
Des Small (JIVE)
Arpad Szomoru (JIVE)
Marjolein Verkouter (JIVE)
Aard Keipema (JIVE)


VLBI, Project Scientist
VLBI, development
VLBI, development
VLBI, management
VLBI, management
VLBI, Jupyter kernel



CARTA visualization software team



Pipeline teams
(ALMA, VLA, Nobeyama)



CASA Stakeholders


- ALMA Users
- ALMA Pipeline
- VLA Users
- SRDP (Science Ready Data Products, NRAO)
- VLBA/VLBI
- ARDG (Algorithm Research and Development Group, NRAO)
- General Users

CASA Users Committee

- Feedback CASA capabilities, usability, reliability and performance
- Advise CASA development team from user perspective
- Inform development priorities

Adam Leroy (Ohio State Univ - Chair)
Yoshimasa Watanabe (Shibaura I.T. Japan)
Yu-Nung Su (ASIAA Taiwan)
Abhijeet Borkar (ASCR Czech)
Kristina Nyland (NRL Washington DC)

Ruta Kale (NCRA India)
Jihyun Kang (KASI Korea)
Olga Bayandina (INAF Italy)
Imke de Pater (UC Berkeley)
Jane Huang (Univ. Michigan)



CASA Stakeholders


- ALMA Users
- ALMA Pipeline
- VLA Users
- SRDP (Science Ready Data Products, NRAO)
- VLBA/VLBI
- ARDG (Algorithm Research and Development Group, NRAO)
- General Users

CASA Users Committee

- Feedback CASA capabilities, usability, reliability and performance
- Advise CASA development team from user perspective
- Inform development priorities

Adam Leroy (Ohio State Univ - Chair)
Yoshimasa Watanabe (Shibaura I.T. Japan)
Yu-Nung Su (ASIAA Taiwan)
Abhijeet Borkar (ASCR Chech)
Kristina Nyland (NRL Washington DC)

Ruta Kale (NCRA India)
Jihyun Kang (KASI Korea)
Olga Bayandina (INAF Italy)
Imke de Pater (UC Berkeley)
Jane Huang (Univ. Michigan)




Using CASA - This Talk

- Radio Interferometry & CASA
- CASA Basics
- Data Processing in CASA
 - Import/export
 - Information
 - Manipulation
 - Calibration
 - Imaging
 - Analysis / Visualization (CARTA)
- Download & Installation
- Documentation & Resources



JIVE
Joint Institute for VLBI ERIC





Radio interferometers



Very Large Array


cm \rightarrow 3 mm

Very Long Baseline Array, VLBA





Atacama Large Millimeter Array (Chile)
3 mm \rightarrow 300 micron



Atmosphere/weather (high sites)




Interferometry




Track point-source on the sky:




Resolution: $R \sim \lambda / B$








Interferometry




Constructive Interference




Destructive Interference




- Primary beam response single antenna (bandwidth)
- Add N antennas, i.e. $N(N-1)/2$ baselines
- Add complex source structure
- Scan through earth rotation





Interferometry




Constructive Interference




Destructive Interference




- Primary beam response single antenna (bandwidth)
- Add N antennas, i.e. $N(N-1)/2$ baselines
- Add complex source structure
- Scan through earth rotation





Interferometry




Constructive Interference




Destructive Interference



- Primary beam response single antenna (bandwidth)
- Add N antennas, i.e. $N(N-1)/2$ baselines
- Add complex source structure
- Scan through earth rotation







Interferometry




Constructive Interference




Destructive Interference



- Primary beam response single antenna (bandwidth)
- Add N antennas, i.e. $N(N-1)/2$ baselines
- Add complex source structure
- Scan through earth rotation





Interferometry




“Visibility”: interferometer response per antenna pair (i, j) , Δt , Δf , polarization
 → Fourier Transform of the sky brightness distribution.
 → “complex”, with *amplitude*, *phase* information: $V(u, v) = a_r e^{i\phi_r}$

→ Source *brightness*, *structure*


CASA: raw visibility data → science products



- Primary beam response single antenna (bandwidth)
- Add N antennas, i.e. $N(N-1)/2$ baselines
- Add complex source structure
- Scan through earth rotation



Interferometry




“Visibility”: interferometer response per antenna pair (i, j) , Δt , Δf , polarization
→ Fourier Transform of the sky brightness distribution.
→ “complex”, with *amplitude*, *phase* information: $V(u, v) = a_r e^{i\varphi_r}$


→ Source *brightness*, *structure*

CASA: raw visibility data → science products

- Large data sets!
Example: $N(N-1)$ baselines, $\Delta t \sim 3s$ over 12h, 2000 Δf channels, 4 polarizations,
- Discrete sampling (‘broken mirror’) → missing information
Iteratively reconstruct model of sky

Computationally expensive!





CASA Basics

Single Dish & Interferometry

Casacore → original AIPS++ libraries, stable and nearly static platform

CASA → Implemented in C++, accessible through IPython


- **Tools:** basic C++ functions linked to Python interface that perform basic operations on data
- **Tasks:** bundle tools or Python functionality that perform well-defined step in data processing → user friendly, parameter input
- **GUIs:** Graphical User Interfaces to visualize and examine data/images
- **External:** Repository Measures Tables (*Earth Orientation Parameters, reference frames, ephemeris data, beam models, simulator configuration files, etc*). Minimal repo in CASA, update manually for more accuracy

Scripting & Pipelines (*ALMA calibration & imaging, VLA calibration, VLA Sky Survey*)



JIVE
Joint Institute for VLBI ERIC





CASA tasks

Well-defined step in data processing
→ user friendly, parameter input

Example: determine complex time-dependent gains for each antenna and spw

```
CASA <31>: gaincal(vis='lowres_data1.ms', spw='1:10~110', refant='4', calmode='p')
```

CASA task

Input MS


Spectral Window selection

Reference antenna

Phase-only Calibration mode

Other parameters, use default!





CASA tasks

Exam

CASA

```

[CASA <33> inp
# gaincal - Determine temporal gains from calibrator observations
vis                = 'lowres_data1.ms/'      # Name of input visibility file
caltable           = ''                     # Name of output gain calibration table
field              = ''                     # Select field using field id(s) or field name(s)
spw                = '1:10~110'           # Select spectral window/channels
intent             = ''                     # Select observing intent
selectdata         = True                  # Other data selection parameters
  timerange        = ''                     # Select data based on time range
  uvrange          = ''                     # Select data by baseline length.
  antenna          = ''                     # Select data based on antenna/baseline
  scan             = ''                     # Scan number range
  observation      = ''                     # Select by observation ID(s)
  msselect         = ''                     # Optional complex data selection (ignore for now)
solint             = 'inf'                  # Solution interval
combine            = ''                     # Data axes which to combine for solve (obs, scan, spw, and/or
# field)
preavg             = -1.0                   # Pre-averaging interval (sec) (rarely needed)
refant             = '4'                    # Reference antenna name(s)
refantmode         = 'flex'                 # Reference antenna mode
minblperant        = 4                     # Minimum baselines _per antenna_ required for solve
minsnr             = 3.0                   # Reject solutions below this SNR
solnorm            = False                  # Normalize (squared) solution amplitudes (G, T only)
gaintype           = 'G'                   # Type of gain solution (G,T,GSPLINE,K,KCROSS)
smodel             = []                     # Point source Stokes parameters for source model.
calmode            = 'p'                    # Type of solution" ('ap', 'p', 'a')
solmode            = ''                     # Robust solving mode: ('', 'L1', 'R', 'L1R')
rmsthresh          = []                     # RMS Threshold sequence (for solmode='R' or 'L1R'; see help)
corrdepflags       = False                  # Respect correlation-dependent flags
append             = False                  # Append solutions to the (existing) table
docallib           = False                  # Use callib or traditional cal apply parameters
  gaintable        = []                     # Gain calibration table(s) to apply on the fly
  gainfield        = []                     # Select a subset of calibrators from gaintable(s)
  interp           = []                     # Interpolation parameters for each gaintable, as a list
  spwmap           = []                     # Spectral window mappings to form for gaintable(s)
parang             = False                  # Apply parallactic angle correction

```

CASA <34> go



Import/export

Information

Manipulation

Calibration

Imaging

Analysis (Visualization)

Single Dish

Simulations



JIVE
Joint Institute for VLBI ERIC




Import/export
 Information
 Manipulation
 Calibration
 Imaging
 Analysis

 Single Dish
 Simulations

(A)SDM, (Astronomy) Science Data Model:

- Observing data: data from correlator (visibilities)
- Metadata: data that describes observations (source info, spectral setup, etc.)
- Auxiliary data: monitoring data observations (weather, pointing, etc.)



CASA MeasurementSet (MS):

Data directory with tables and subtables

- DATA column → data
- MODEL_DATA column → expected model values
- CORRECTED_DATA column → calibrated data
- Other optional columns: FLAG, SIGMA, WEIGHTS, etc.



Import/export
 Information
 Manipulation
 Calibration
 Imaging
 Analysis
 Single Dish
 Simulations


Log Messages (~/Users/bemonts/casa-20220125-211413.log)

Search Message: Filter: Time

```

...obs:::casa #####
...obs:::casa ##### Begin Task: listobs #####
...obs:::casa listobs( vis='lowres_data1.ms/', selectdata=True, spw='', field='', antenna='', uvrange='', timerange='', correlation='', scan='
...ms::summary
...s::summary+
...s::summary+ MeasurementSet Name: /Users/bemonts/Documents/CASA_testing/Pcheck/lowres_data1.ms MS Version 2
...s::summary+
...s::summary+ Observer: debreuck Project: uid://A001/X10e/X46b
...s::summary+ Observation: ALMA
...Properties
...Computing scan and subscan properties...
...ms::summary Data records: 62532 Total elapsed time = 547.776 seconds
...s::summary+ Observed from 21-Jul-2014/11:29:55.7 to 21-Jul-2014/11:39:03.5 (UTC)
...ms::summary
...s::summary+ ObservationID = 0 ArrayID = 0
...s::summary+ Date Timerange (UTC) Scan FldId FieldName nRows SpwIds Average Interval(s) ScanIntent
...s::summary+ 21-Jul-2014/11:29:55.7 - 11:31:55.2 12 0 MRC_0152-209 37929 [0,1,2,3] [6.05, 6.05, 6.05, 6.05] [OBSERVE_T
...s::summary+ 11:37:41.8 - 11:39:03.5 16 0 MRC_0152-209 24603 [0,1,2,3] [6.05, 6.05, 6.05, 6.05] [OBSERVE_T
...ms::summary (nRows = Total number of rows per scan)
...s::summary+
...s::summary+ Fields: 1
...s::summary+ ID Code Name RA Decl Epoch SrcId nRows
...s::summary+ 0 none MRC_0152-209 01:54:55.760000 -20.40.26.30000 J2000 0 62532
...ms::summary Spectral Windows: (4 unique spectral windows and 1 unique polarization setups)
...s::summary+ SpwID Name #Chans Frame Ch0(MHz) ChanWid(kHz) TotBW(kHz) CtrFreq(MHz) BBC Num Corrs
...s::summary+ 0 ALMA_RB_06#BB_1#SW-01#FULL_RES 480 TOPO 237696.437 -3906.250 1875000.0 236760.8901 1 XX YY
...s::summary+ 1 ALMA_RB_06#BB_2#SW-01#FULL_RES 480 TOPO 239571.523 -3906.250 1875000.0 238635.9764 2 XX YY
...s::summary+ 2 ALMA_RB_06#BB_3#SW-01#FULL_RES 480 TOPO 250080.999 3906.250 1875000.0 251016.5458 3 XX YY
...s::summary+ 3 ALMA_RB_06#BB_4#SW-01#FULL_RES 480 TOPO 253076.137 3906.250 1875000.0 254011.6836 4 XX YY
...ms::summary Sources: 4
...s::summary+ ID Name SpwID RestFreq(MHz) SysVel (km/s)
...s::summary+ 0 MRC_0152-209 0 237000 0
...s::summary+ 1 MRC_0152-209 1 238875 0
...s::summary+ 2 MRC_0152-209 2 251000 0
...s::summary+ 3 MRC_0152-209 3 254000 0
...ms::summary Antennas: 33:
...s::summary+ ID Name Station Diam. Long. Lat. Offset from array center (m) ITRF Geocentric coo
...s::summary+ East North Elevation x
...s::summary+ 0 DA41 A079 12.0 m -067.45.13.6 -22.53.35.0 116.8369 -920.2899 22.6287 2225122.700415 -5439951.13
...s::summary+ 1 DA42 A081 12.0 m -067.45.23.9 -22.53.32.5 -174.5620 -842.8380 21.0898 2224863.872903 -5440088.01
...s::summary+ 2 DA43 A091 12.0 m -067.45.28.7 -22.53.24.2 -312.9125 -584.7729 23.7301 2224774.741615 -5440235.54
...s::summary+ 3 DA46 A058 12.0 m -067.45.17.3 -22.53.32.0 12.7399 -827.0340 21.9685 2225039.860155 -5440023.55
...s::summary+ 4 DA47 A074 12.0 m -067.45.12.1 -22.53.32.0 161.8145 -828.6214 19.2707 2225176.656953 -5439964.24
...s::summary+ 5 DA50 A045 12.0 m -067.45.17.9 -22.53.30.1 -5.4185 -767.4402 22.6042 2225032.051670 -5440052.42
...s::summary+ 7 DA55 A080 12.0 m -067.45.14.7 -22.53.20.2 87.4828 -461.2368 21.1333 2225162.611933 -5440126.24
...s::summary+ 8 DA59 A021 12.0 m -067.45.17.2 -22.53.27.0 14.3185 -672.8120 21.8445 2225063.988755 -5440078.37
  
```

Insert Message: Lock scroll



CASA

Import/export
Information
 Manipulation
 Calibration
 Imaging
 Analysis

Single Dish
 Simulations

PlotMS
Amp vs. Frequency
plotms

File: eck/lowres_data1.ms

Selection:

- field 0
- spw
- timerange
- uvrange
- antenna
- scan

Averaging:

- Channel 10 channels
- Time 0 seconds
- Scan Field
- All Baselines Per Antenna
- All Spectral Windows
- Vector Scalar

Plot: Add Plot [Reload] Plot

Average Frequency (GHz) TOPO

ms::summary sources: 4

ID	Name	SpwId	RestFreq(MHz)	SysVel (km/s)
0	MRC_0152-209	0	237000	0
0	MRC_0152-209	1	238875	0
0	MRC_0152-209	2	251000	0
0	MRC_0152-209	3	254000	0

ms::summary Antennas: 33:

ID	Name	Station	Diam.	Long.	Lat.	Offset from array center (m)			ITRF Geocentric coo	
						East	North	Elevation	x	y
0	DA41	A079	12.0 m	-067.45.13.6	-22.53.35.0	116.8369	-920.2899	22.6287	2225122.700415	-5439951.13
1	DA42	A081	12.0 m	-067.45.23.9	-22.53.32.5	-174.5620	-842.8380	21.0898	2224863.872903	-5440088.01
2	DA43	A091	12.0 m	-067.45.28.7	-22.53.24.2	-312.9125	-584.7729	23.7301	2224774.741615	-5440235.54
3	DA46	A058	12.0 m	-067.45.17.3	-22.53.32.0	12.7399	-827.0340	21.9685	2225039.860155	-5440023.55
4	DA47	A074	12.0 m	-067.45.12.1	-22.53.32.0	161.8145	-828.6214	19.2707	2225176.656953	-5439964.24
5	DA50	A045	12.0 m	-067.45.17.9	-22.53.30.1	-5.4185	-767.4402	22.6042	2225032.051670	-5440052.42
7	DA55	A080	12.0 m	-067.45.14.7	-22.53.20.2	87.4828	-461.2368	21.1333	2225162.611933	-5440126.24
8	DA59	A021	12.0 m	-067.45.17.2	-22.53.27.0	14.3185	-672.8120	21.8445	2225063.988755	-5440078.37

Insert Message: [] Lock scroll

Import/export

Information

Manipulation

Calibration


Imaging

Analysis

Single Dish

Simulations

Radio Frequency Interference (RFI) → Flag!




See talk by *Evangelia Tremou*



Import/export
 Information
 Manipulation
Calibration
 Imaging
 Analysis

Single Dish
 Simulations




$$\vec{V}_{ij} = J_{ij} \vec{V}_{ij}^{IDEAL}$$



Import/export
 Information
 Manipulation
Calibration
 Imaging
 Analysis


 Single Dish
 Simulations




Various talks this week

$$\vec{V}_{ij} = J_{ij} \vec{V}_{ij}^{IDEAL}$$



$$\vec{V}_{ij} = M_{ij} B_{ij} G_{ij} D_{ij} E_{ij} P_{ij} T_{ij} \vec{V}_{ij}^{IDEAL}$$






Calibration in CASA

$$\vec{V}_{ij} = J_{ij} \vec{V}_{ij}^{IDEAL}$$



Import/export
 Information
 Manipulation
 Calibration
Imaging
 Analysis




Single Dish
 Simulations




$\vec{V}_{ij} IDEAL$

- Gridding data
- Weighting data
- Fourier transform
- Deconvolution
- Restoration

2D continuum images
 3D image cubes






Imaging in CASA


Tclean: powerful imaging task

- Fast Fourier Transform (FFT)
- Gridding (incl. advanced imaging modes: mosaic, AW-project, etc)
- Deconvolution & Restoration
- Primary beam correction
- Data weighting



See talk by Preshanth Jagannathan





Imaging in CASA

Tclean: powerful imaging task

- Fast Fourier Transform (FFT)
- Gridding (incl. advanced imaging modes: mosaic, AW-project, etc)
- Deconvolution & Restoration
- Primary beam correction
- Data weighting

```
[CASA <40>: inp
# tclean -- Radio Interferometric Image Reconstruction
vis = '' # Name of input visibility file(s)
selectdata = True # Enable data selection parameters
  field = '' # field(s) to select
  spw = '' # spw(s)/channels to select
  timerange = '' # Range of time to select from data
  uvrange = '' # Select data within uvrange
  antenna = '' # Select data based on antenna/baseline
  scan = '' # Scan number range
  observation = '' # Observation ID range
  intent = '' # Scan Intent(s)
datacolumn = 'corrected' # Data column to image(data,corrected)
imagename = '' # Pre-name of output images
imsize = [100] # Number of pixels
cell = [] # Cell size
phasecenter = '' # Phase center of the image
stokes = 'I' # Stokes Planes to make
projection = 'SIN' # Coordinate projection
startmodel = '' # Name of starting model image
specmode = 'mfs' # Spectral definition mode (mfs,cube,cub
  reffreq = '' # Reference frequency
gridding = 'standard' # Gridding options (standard, wproject,
  vptable = '' # Name of Voltage Pattern table
  pblimit = 0.2 # PB gain level at which to cut off norm
deconvolver = 'hogbom' # Minor cycle algorithm (hogbom,clark,mu
restoration = True # Do restoration steps (or not)
  restoringbeam = [] # Restoring beam shape to use. Default i
  pbcor = False # Apply PB correction on the output rest
outlierfile = '' # Name of outlier-field image definition
weighting = 'natural' # Weighting scheme (natural,uniform,brig
  briggsbwtaper[experimental])
  uvtaper = [] # uv-taper on outer baselines in uv-plan
niter = 0 # Maximum number of iterations
usemask = 'user' # Type of mask(s) for deconvolution: use
  mask = '' # Mask (a list of image name(s) or regio
  pbmask = 0.0 # primary beam mask
fastnoise = True # True: use the faster (old) noise calcul
# calculations
restart = True # True : Re-use existing images. False :
savemodel = 'none' # Options to save model visibilities (no
calcres = True # Calculate initial residual image
calcpsf = True # Calculate PSF
  psfcutoff = 0.35 # All pixels in the main lobe of the PSF
# beam (the Clean beam).
parallel = False # Run major cycles in parallel

CASA <41>: []
```




JIVE
Joint Institute for VLBI ERIC





Import/export
 Information
 Manipulation
 Calibration
 Imaging
**Analysis/
 Visualization**
 Single Dish
 Simulations

The new: CARTA (ASIAA, IDIA, NRAO, Alberta)



The old: CASA Viewer






Visualization

Start using this!

See talk by Juergen Ott

CARTA: Cube Analysis and Rendering Tool for Astronomy



Next-generation radio telescopes
→ quick with large data volumes
(ALMA, VLA, SKA pathfinders)

<https://cartavis.org>

External software:



ASIAA (Taiwan)
IDIA (South Africa)
NRAO (USA)
Univ. Alberta (Canada)

Import/export

Information

Manipulation

Calibration


Imaging

Analysis / Visualization

Single Dish

Simulations





CASA download & installation

Website (casa.nrao.edu)

Monolithic (all-inclusive 'plug-and-play')

Pip-wheel (Pythonic, Jupyter Notebooks, Google Colab)

Pipelines (ALMA, VLA)

Compatibility Operating Systems

New release every ~2 months!

Latest version: CASA 6.5

The [Release Notes](#) and [Known Issues](#) of the 6.5 release are...

CASA 6.5 is based on Python 3, and available either as a downloadable tar-file distribution with Python environment included, or as a modular version that can be installed with [pip-wheels](#).

Manual processing can be done with any CASA version, but ALMA and VLA pipelines may differ and are not always included, so download the correct CASA version for pipeline use.

 **Linux**
(RedHat 6, 7, 8)

 **Mac**
(OS 11, OSX 10.15)


	Linux (RedHat 6, 7, 8)	Mac (OS 11, OSX 10.15)
General Use (Notes)	CASA 6.5.2 (RH7/8 - Py 3.8) CASA 6.5.2 (RH7 - Py 3.6)	CASA 6.5.2 (OS11 - Py 3.8) CASA 6.5.2 (OS11 - Py 3.6)
ALMA Pipeline (Notes)	CASA 6.4.1 (RH7/8)	CASA 6.4.1 (OS11) CASA 6.4.1 (10.15)
VLA Pipeline (Notes)	CASA 6.4.1 (RH7/8)	CASA 6.4.1 (OS11) CASA 6.4.1 (10.15)

 The above CASA versions can also be downloaded from our [NAOJ CASA mirror site](#) and [NAOJ CASA-pipeline mirror site](#), or via [Google Drive](#).

CASA 6: pip-wheel installation

CASA 6 can optionally be installed through modular pip-wheels, with the flexibility to build CASA tools and tasks into a customized Python environment. Instructions on how to install the pip-wheel version of CASA 6 can be found in CASA Docs: [CASA 6 Installation and Usage](#)

The modular pip-wheel version is not yet used in production by ALMA and VLA, and does not include any pipelines.



CASA download & installation

Website (casa.nrao.edu)

Monolithic (all-inclusive ‘plug-and-play’)

Pip-wheel (Pythonic, Jupyter Notebooks, Google Colab)

Pipelines (ALMA, VLA)



Compatibility Operating Systems

Latest version: CASA 6.5

The [Release Notes](#) and [Known Issues](#) of the 6.5 release are available in [CASA Docs](#)

CASA 6.5 is based on Python 3, and available either as a downloadable tar-file distribution with Python environment included, or as a modular version that can be installed with [pip-wheels](#).

Manual processing can be done with any CASA version, but ALMA and VLA pipelines may differ and are not always included, so download the correct CASA version for pipeline use.


	 Linux (RedHat 6, 7, 8)	 Mac (OS 11, OSX 10.15)
General Use (Notes)	CASA 6.5.2 (RH7/8 - Py 3.8) CASA 6.5.2 (RH7 - Py 3.6)	CASA 6.5.2 (OS11 - Py 3.8) CASA 6.5.2 (OS11 - Py 3.6)
ALMA Pipeline (Notes)	CASA 6.4.1 (RH7/8)	CASA 6.4.1 (OS11) CASA 6.4.1 (10.15)
VLA Pipeline (Notes)	CASA 6.4.1 (RH7/8)	CASA 6.4.1 (OS11) CASA 6.4.1 (10.15)

 The above CASA versions can also be downloaded from our [NAOJ CASA mirror site](#) and [NAOJ CASA-pipeline mirror site](#), or via [Google Drive](#).

CASA 6: pip-wheel installation

CASA 6 can optionally be installed through modular pip-wheels, with the flexibility to build CASA tools and tasks into a customized Python environment. Instructions on how to install the pip-wheel version of CASA 6 can be found in CASA Docs: [CASA 6 Installation and Usage](#)

The modular pip-wheel version is not yet used in production by ALMA and VLA, and does not include any pipelines.



CASA download & installation

Website (ca

Monolithic

Pip-wheel

Pipelines (

Compatibil

We execute tasks just like normal Python functions. Many times they will write information to the log or a specified output file, which we then must display.

```
[ ]: from casatasks import listobs

rc = listobs(vis='sis14_twhya_calibrated_flagged.ms', listfile='obslist.txt', verbose=False, overwrite=True)
!cat obslist.txt

=====
MeasurementSet Name: /content/sis14_twhya_calibrated_flagged.ms MS Version 2
=====
Observer: cqi Project: uid://A002/X327408/X6f
Observation: ALMA(26 antennas)
Data records: 80563 Total elapsed time = 5647.68 seconds
Observed from 19-Nov-2012/07:36:57.0 to 19-Nov-2012/09:11:04.7 (UTC)


Fields: 5
ID Code Name RA Decl Epoch SrcId nRows
0 none J0522-364 05:22:57.984648 -36.27.30.85128 J2000 0 4200
2 none Ceres 06:10:15.950590 +23.22.06.90668 J2000 2 3800
3 none J1037-295 10:37:16.079736 -29.34.02.81316 J2000 3 16000
5 none TW Hya 11:01:51.796000 -34.42.17.36600 J2000 4 53161
6 none 3c279 12:56:11.166576 -05.47.21.52464 J2000 5 3402
Spectral Windows: (1 unique spectral windows and 1 unique polarization setups)
SpwID Name #Chans Frame Ch0(MHz) ChanWid(kHz) TotBW(kHz) CtrFreq(MHz) BBC Num Corrs
0 ALMA_RB_07#BB_2#SW-01#FULL_RES 384 TOPO 372533.086 610.352 234375.0 372649.9688 2 XX YY
Antennas: 21 'name'='station'
ID= 1-4: 'DA42'='A050', 'DA44'='A068', 'DA45'='A070', 'DA46'='A067',
ID= 5-9: 'DA48'='A046', 'DA49'='A029', 'DA50'='A045', 'DV02'='A077',
ID= 10-15: 'DV05'='A082', 'DV06'='A037', 'DV08'='A021', 'DV10'='A071',
ID= 16-19: 'DV13'='A072', 'DV15'='A074', 'DV16'='A069', 'DV17'='A138',
ID= 20-24: 'DV18'='A053', 'DV19'='A008', 'DV20'='A020', 'DV22'='A011',
ID= 25-25: 'DV23'='A007'
```

Another example, lets do channel averaging with MSttransform. Here we need to make sure we've deleted the previous output file if/when running multiple times. Since this task doesn't return anything, we can look at the end of the log file to see what happened.

```
[ ]: from casatasks import mstransform

os.system("rm -fr chanavg.ms")
mstransform(vis='sis14_twhya_calibrated_flagged.ms', outputvis='chanavg.ms',
            datacolumn='DATA', chanaverage=True, chanbin=3)
!tail casa-202*.log

2021-10-14 17:43:24 INFO MSttransformManager::parseMsSpecParams Tile shape is [0]
2021-10-14 17:43:24 INFO MSttransformManager::parseChanAvgParams Channel average is activated
2021-10-14 17:43:24 INFO MSttransformManager::parseChanAvgParams Channel bin is [3]
2021-10-14 17:43:24 INFO MSttransformManager::colCheckInfo Adding DATA column to output MS from input DATA column
2021-10-14 17:43:24 INFO MSttransformManager::open Select data
2021-10-14 17:43:24 INFO MSttransformManager::createOutputMSStructure Create output MS structure
2021-10-14 17:43:24 INFO ParallelDataHelper::casa Apply the transformations
2021-10-14 17:43:29 INFO mstransform:::casa Task mstransform complete. Start time: 2021-10-14 17:43:23.610120 End time: 2021-10-14 17:43:29.323998
2021-10-14 17:43:29 INFO mstransform:::casa ##### End Task: mstransform #####
2021-10-14 17:43:29 INFO mstransform:::casa #####
```



CASA download & installation

Website (casa.nrao.edu)

Monolithic (all-inclusive ‘plug-and-play’)

Pip-wheel (Pythonic, Jupyter Notebooks, Google Colab)

Pipelines (ALMA, VLA)



Compatibility Operating Systems

Latest version: CASA 6.5

The [Release Notes](#) and [Known Issues](#) of the 6.5 release are available in [CASA Docs](#)

CASA 6.5 is based on Python 3, and available either as a downloadable tar-file distribution with Python environment included, or as a modular version that can be installed with [pip-wheels](#).

Manual processing can be done with any CASA version, but ALMA and VLA pipelines may differ and are not always included, so download the correct CASA version for pipeline use.


	 Linux (RedHat 6, 7, 8)	 Mac (OS 11, OSX 10.15)
General Use (Notes)	CASA 6.5.2 (RH7/8 - Py 3.8) CASA 6.5.2 (RH7 - Py 3.6)	CASA 6.5.2 (OS11 - Py 3.8) CASA 6.5.2 (OS11 - Py 3.6)
ALMA Pipeline (Notes)	CASA 6.4.1 (RH7/8)	CASA 6.4.1 (OS11) CASA 6.4.1 (10.15)
VLA Pipeline (Notes)	CASA 6.4.1 (RH7/8)	CASA 6.4.1 (OS11) CASA 6.4.1 (10.15)

 The above CASA versions can also be downloaded from our [NAOJ CASA mirror site](#) and [NAOJ CASA-pipeline mirror site](#), or via [Google Drive](#).

CASA 6: pip-wheel installation

CASA 6 can optionally be installed through modular pip-wheels, with the flexibility to build CASA tools and tasks into a customized Python environment. Instructions on how to install the pip-wheel version of CASA 6 can be found in CASA Docs: [CASA 6 Installation and Usage](#)

The modular pip-wheel version is not yet used in production by ALMA and VLA, and does not include any pipelines.



CASA download & installation

Website (casa.nrao.edu)

Monolithic (all-inclusive 'plug-and-play')


Pip-wheel (Pythonic, Jupyter Notebooks, Google Colab)

Pipelines (ALMA, VLA)

Compatibility Operating Systems

Full Monolithic Distribution				
	Python 2.7	Python 3.6	Python 3.7	Python 3.8
RHEL 6	5.8	<=6.3		
RHEL 7	5.8	>=6.1		>=6.4
RHEL 8				>=6.4
Ubuntu 18.04		>=6.2		>=6.4
Ubuntu 20.04		>=6.2		>=6.4
Mac OS 10.14	5.8	>=6.1		<=6.3
Mac OS 10.15	5.8	>=6.1		>=6.3
Mac OS 11 x86		>=6.3		>=6.3
Mac OS 12 ARM*				>=6.4

Modular CASA				
	Python 2.7	Python 3.6	Python 3.7	Python 3.8
RHEL 6		<=6.3	6.2	6.2
RHEL 7		>=6.0	>=6.2	>=6.2
RHEL 8		>=6.0	>=6.4	>=6.4
Ubuntu 18.04		>=6.0	>=6.2	>=6.2
Ubuntu 20.04		>=6.0	>=6.2	>=6.2
Mac OS 10.14		>=6.1		<=6.3
Mac OS 10.15		>=6.1		>=6.3
Mac OS 11 x86		>=6.3		>=6.3
Mac OS 12 ARM				>=6.4



CASA at NRAO

Pre-installed on NRAO machines:


- > casa → 6.5.2 (default latest CASA release)
- > casa-vla → 6.2.1 (latest for VLA pipeline)
- > casa-pipe → 6.2.1 (recommended for workshop, incl. pipeline)
- > casa-alma → 6.4.1 (latest for ALMA pipeline)

- > casa -ls → list all CASA versions
- > casa -r 6.4.0-16 → load specific version “6.4.0-16”
- > casa-vla –pipeline → load also the pipeline-specific tasks

See: <https://casa.nrao.edu/CASANMandCV.shtml>



JIVE
Joint Institute for VLBI ERIC



CASA Docs (casadocs.readthedocs.io)



Search docs

Release Information

Index

API

Task List

Using CASA

CASA Fundamentals

External Data

Calibration & Visibilities

Imaging & Analysis

CARTA

Pipeline

Simulations

Parallel Processing

Memo Series & Knowledgebase

Community Examples

Change Log

Citing CASA

[Home](#) » [Common Astronomy Software Applications](#)

[Edit on GitHub](#)

Common Astronomy Software Applications

CASA, the *Common Astronomy Software Applications*, is the primary data processing software for the Atacama Large Millimeter/submillimeter Array (**ALMA**) and Karl G. Jansky Very Large Array (**VLA**), and is often used also for other radio telescopes.

6.5.2 Release


CASA 6.5.2 can now be [downloaded](#) for general use. CASA 6.5.2 is available either as a downloadable tar-file, or through pip-wheel installation, which gives flexibility to integrate CASA into a customized Python environment.

Highlights:

- **deconvolve**: new task for image-domain deconvolution.
- **uvcontsub**: new implementation, old uvcontsub task deprecated.
- **fringefit**: support added for 'uvrange' parameter.
- **tclean**: new iteration control parameter 'nmajor'.
- **sdimaging**: new parameter 'enablecache' for improved performance.
- **mstransform**: parameter 'douvcontsub' deprecated.
- **flagdata**: mode='shadow' now uses the uvw values from the UVW column.
- **tclean/tsdimaging**: improved runtime performance of ephemeris imaging.
- **simulator tool**: new parameter 'simint' in `sm.settrop()` to control time granularity, down to 0.1s.
- **ImageAnalysis tool**: new string 'mbret' parameter added to `image.restoringbeam()`.
- **casalog tool**: new method `getOrigin()` implemented to retrieve origin of messages.

For more details on these and other new features, see the [CASA 6.5.2 Release Notes](#).

CASA is developed by an international consortium of scientists based at the National Radio Astronomical Observatory (NRAO), the European Southern Observatory (ESO), the National Astronomical Observatory of Japan (NAOJ), the Academia Sinica Institute of Astronomy and



CASA Docs (casadocs.readthedocs.io)



Release Information

Index

API

Task List

Using CASA

Read the Docs v: **stable** ▾

Versions

latest **stable** v6.5.2 v6.5.1 v6.5.0

v6.4.4 v6.4.3 v6.4.1 v6.4.0 v6.3.0

v6.2.1 v6.2.0

Downloads

HTML

On Read the Docs

[Project Home](#) [Builds](#) [Downloads](#)

On GitHub

[View](#) [Edit](#)

Search

[Home](#) » [Common Astronomy Software Applications](#)

[Edit on GitHub](#)

Common Astronomy Software Applications

CASA, the *Common Astronomy Software Applications*, is the primary data processing software for the Atacama Large Millimeter/submillimeter Array ([ALMA](#)) and Karl G. Jansky Very Large Array ([VLA](#)), and is often used also for other radio telescopes.

6.5.2 Release


CASA 6.5.2 can now be [downloaded](#) for general use. CASA 6.5.2 is available either as a downloadable tar-file, or through pip-wheel installation, which gives flexibility to integrate CASA into a customized Python environment.

Highlights:

- `deconvolve`: new task for image-domain deconvolution.
- `uvcontsub`: new implementation, old `uvcontsub` task deprecated.
- `fringefit`: support added for `'uvrange'` parameter.
- `tclean`: new iteration control parameter `'nmajor'`.
- `sdimaging`: new parameter `'enablecache'` for improved performance.
- `mstransform`: parameter `'douvcontsub'` deprecated.
- `flagdata`: `mode='shadow'` now uses the `uvw` values from the UVW column.
- `tclean/tsdimaging`: improved runtime performance of ephemeris imaging.
- `simulator` tool: new parameter `'simint'` in `sm.settrop()` to control time granularity, down to 0.1s.
- `ImageAnalysis` tool: new string `'mbret'` parameter added to `'image.restoringbeam()'`.
- `casalog` tool: new method `'getOrigin()'` implemented to retrieve origin of messages.

For more details on these and other new features, see the [CASA 6.5.2 Release Notes](#).

CASA is developed by an international consortium of scientists based at the National Radio Astronomical Observatory (NRAO), the European Southern Observatory (ESO), the National Astronomical Observatory of Japan (NAOJ), the Academia Sinica Institute of Astronomy and



CASA Docs (casadocs.readthedocs.io)



Search docs

Release Information

Highlights

Release Notes

Known Issues

General

Installation

Scripting

statwt

mstransform

cvel

bandpass

polcal

setjy

uvcontsub

cal library

VLA Switched Power

fringefit


fixvis

Known Issues

Summary Most Important Issues

- The **Adaptive Scale Pixel (asp)** deconvolution algorithm in **tclean** is experimental, and we welcome user [feedback](#).
- The task **clean** is no longer being actively maintained; instead, **tclean** is now the recommended task for imaging.
- **CASA 6 startup** may fail on some **Mac OS** where users have set up a file system that is *case-sensitive*.
- There are generic problems putting multiple MSs into **tclean** that have mismatches in their shape.
- Wideband and widefield imaging in **tclean** are only partially validated - please use at own risk and read [wideband](#) and [widefield](#) documentation.
- In **tclean**, **uvtaper** does not work with *natural* weighting. (*fixed in CASA 6.5.1*)
- When imaging large mosaics with **mosweight** in **tclean**, an error “too many open files” may occur that may require to increase the limit for open files.
- **stwt** may fail when the correlator integration time changes within an MS and **statwt** is run with **timebin** set to an integer value.
- CASA is not using **LD_LIBRARY_PATH** anymore but **CASALD_LIBRARY_PATH** to avoid confusion.
- **cvel** is calculating the velocity incorrectly for ephemeris objects. We recommend to use **mstransform** or its offspring **cvel2**, although the latter should be used with care as it is not fully commissioned yet.
- **fixvis** uses the small angle approximation and may be incorrect for large phase shifts. Use the new task **phaseshift** instead, or use **tclean** for phase center shifts during imaging when applicable.
- With parallel calibration on MMS files, **fixvis** does not write out the the new MMS specified in **outputvis** correctly, hence **fixvis** solutions are not applied when writing to a new MMS.
- In **fringefit**, calibration tables created with CASA 5.5 and before cannot be used with CASA 5.6 and later.
- In **tclean**, defining image cubes in optical velocity in some cases is known not to work.
- In **tclean**, using the mosaic gridded with the default **nchan=-1** is in some cases known to produce errors.
- Ionospheric TEC corrections are currently validated in CASA only for VLA data.
- *ephemeris* objects are not correctly supported by *virtual model columns*.
- In **tclean**, the combination of **specmode='cube'** and **gridded='awproject'** has not been commissioned for use and may result in errors.
- **sdimaging** will crash or create incorrect images if there exist some spectra taken at a time **t** that fall outside all pointing intervals of a specific antenna.

General



- [-] Release Information
 - Highlights
 - Release Notes
- [-] Known Issues
 - Compatibility
 - Automated testing
- [-] Installation
 - Prerequisite OS Libraries
 - Monolithic Distribution
 - Modular Packages
- [-] Performance

Index

API

Task List

Using CASA

CASA Fundamentals

External Data

Calibration & Visibilities

Imaging & Analysis

CARTA

Pipeline

Simulations

Parallel Processing

Memo Series & Knowledgebase

Community Examples

Change Log

Citing CASA

Modular Packages

Pip wheels for casatools and casatasks are available as Python 3 modules. This allows simple installation and import into standard Python environments. The casatools wheel is necessarily a binary wheel so there may be some compatibility issues for some time as we work toward making wheels available for important Python configurations.

Make sure you have set up your machine with the *necessary prerequisite libraries* first. Then a la carte installation of desired modules (from a Linux terminal window) as follows:

```
$: python3 -m venv myenv
$: source myenv/bin/activate
(myenv) $: pip install --upgrade pip wheel
```

Now pick whichever subset of the available CASA packages you are interested in. Package dependencies are handled automatically by pip, with the exception of **casadata** which must be explicitly installed and updated by the user (see [External Data](#)). The following packages are available:


```
(myenv) $: pip install casatools==6.5.2.26
(myenv) $: pip install casatasks==6.5.2.26
(myenv) $: pip install casaplotms==1.8.7
(myenv) $: pip install casaviewer==1.6.6
(myenv) $: pip install casampi==0.5.01
(myenv) $: pip install casashell==6.5.2.26
(myenv) $: pip install casadata==2022.9.5
(myenv) $: pip install casaplotserver==1.4.6
(myenv) $: pip install almatasks==1.5.2
(myenv) $: pip install casatestutils==6.5.2.26
```

Note for Mac M1 users: For macOS 12 on an ARM-based M1 chip, users will need to install the wheels of CASA version 11 for x86 architecture. For that, we recommend to use the following command to pip install the CASA wheels:

```
(myenv) $: arch -x86_64 python3 -m pip install ...
```

Users are advised to use a Python virtual environment (venv) and specific module version numbers as shown above. Giving an invalid number (like 999) to the pip install command is an effective way to list all available version numbers.

List all available versions of a module (a hack):



Search Docs

Release Information

Highlights

Release Notes

Known Issues

Compatibility

Installation

Monolithic Distribution

Modular Packages

Index

API

Task List

Using CASA

CASA Fundamentals

External Data

Calibration & Visibilities

Imaging & Analysis

CARTA

Pipeline

Simulations

Parallel Processing

Memo Series & Knowledgebase

Community Examples

Change Log

Read the Docs

v: stable

Full Monolithic Distribution

	Python 2.7	Python 3.6	Python 3.7	Python 3.8
RHEL 6	5.8	<=6.3		
RHEL 7	5.8	>=6.1		>=6.4
RHEL 8				>=6.4
Ubuntu 18.04		>=6.2		>=6.4
Ubuntu 20.04		>=6.2		>=6.4
Mac OS 10.14	5.8	>=6.1		<=6.3
Mac OS 10.15	5.8	>=6.1		>=6.3
Mac OS 11 x86		>=6.3		>=6.3
Mac OS 12 ARM*				>=6.4

Modular CASA

	Python 2.7	Python 3.6	Python 3.7	Python 3.8
RHEL 6		<=6.3	6.2	6.2
RHEL 7		>=6.0	>=6.2	>=6.2
RHEL 8		>=6.0	>=6.4	>=6.4
Ubuntu 18.04		>=6.0	>=6.2	>=6.2
Ubuntu 20.04		>=6.0	>=6.2	>=6.2
Mac OS 10.14		>=6.1		<=6.3
Mac OS 10.15		>=6.1		>=6.3
Mac OS 11 x86		>=6.3		>=6.3
Mac OS 12 ARM				>=6.4


option of the

et to

1: cannot n

install apps
vacy ->

6. Optional: Create symbolic links to the CASA version and its executables (Administrator privileges are



CASA Docs (casadocs.readthedocs.io)



Search docs

Release Information

Index

API

- almataasks
- casadata
- casalith
- casaplotms
- casashell
- casataasks
- casatools
- casaviewer
- configuration

Task List

Using CASA

CASA Fundamentals

External Data

Calibration & Visibilities

Imaging & Analysis

CARTA

Pipeline

» API

[Edit on GitHub](#)

API

External Interface definition of CASA. This section is verified prior to each release


- [almataasks](#)
- [casadata](#)
- [casalith](#)
- [casaplotms](#)
- [casashell](#)
- [casataasks](#)
- [casatools](#)
- [casaviewer](#)
- [configuration](#)

← Previous

Next →

© Copyright 2021, Associated Universities, Inc Revision 2316c9b7.

Built with [Sphinx](#) using a [theme](#) provided by [Read the Docs](#).



Task List

- Input / Output
- Information
- Flagging
- Calibration
- Imaging
- Single Dish

Manipulation

- clearstat
- concat
- conjugatevis
- cvel
- cvel2
- fixplanets
- fixvis
- hanningsmooth
- mstransform
- msuvbin
- oldstatwt
- partition
- phaseshift**
- rmtables
- split

phaseshift

```
phaseshift(vis, outputvis="", keepmms=True, field="", spw="", scan="", intent="", array="", observation="", datacolumn='all', phasecenter="") \[source\]
```

Rotate a Measurement Set to a new phase-center


[\[Description\]](#) [\[Examples\]](#) [\[Development\]](#) [\[Details\]](#)

Parameters

- **vis** (string) - Name of input visibility file
- **outputvis** (string="") - Name of output visibility file
- **keepmms** (bool=True) - Create a Multi-MS as the output if the input is a Multi-MS.
- **field** (string="") - Select field using field id(s) or field name(s)
- **spw** (string="") - Select spectral window/channels
- **scan** (string="") - Scan number range
- **intent** (string="") - Select observing intent
- **array** (string="") - Select (sub)array(s) by array ID number.
- **observation** (string="") - Select by observation ID(s)
- **datacolumn** (string='all') - Which data column(s) to process
- **phasecenter** (string="") - Direction coordinates of the desired center. MUST BE SPECIFIED

Description

This task changes the phase center of an MS by modifying the *UVW* coordinates and the specified data column(s) (via the **datacolumn** parameter) of the input MS and creating an output MS with these changes. The *PHASE_DIR* column of the *FIELD* subtable of the new MS is updated with the new phase center. Many MS selection parameters are supported (see [Visibility Data Selections](#) for details).



Release Information

Index

API

Task List

Using CASA

CASA Fundamentals

External Data

Calibration & Visibilities

Imaging & Analysis

CARTA

Pipeline

Simulations

Parallel Processing

Memo Series & Knowledgebase

Community Examples


CASA 6.2 Notebook Demo

PlotMS with Jupyter Notebooks and X11

Community Examples

A collection of community provided scripts covering various CASA tutorials, examples, demonstrations, tips, tricks and general best practices.

- [CASA 6.2 Notebook Demo](#)
 - [Description](#)
 - [Installation](#)
 - [Getting Started](#)
 - [tclean Example](#)
 - [View Images with Astropy](#)
 - [View Images with CARTA](#)
- [PlotMS with Jupyter Notebooks and X11](#)
 - [Description](#)
 - [Setup Virtual Frame Buffer](#)
 - [Get Data](#)
 - [Plot Data](#)
 - [Display the Exported Raster Image](#)
- [Simulation in CASA](#)
 - [Description](#)
 - [Installation](#)
 - [Make an empty MS with the desired uvw/scan/field/ddid setup](#)
 - [Make a True Sky Model \(component list and/or image\)](#)
 - [Simulate visibilities from the sky model into the DATA column of the MS](#)
 - [Add Noise and other errors to the simulated visibilities](#)
 - [A few Imaging and Calibration examples](#)



CASA Reference Paper

PASP in press.
arXiv: 2210.02276

CASA, the Common Astronomy Software Applications for Radio Astronomy

THE CASA TEAM

BEN BEAN,¹ SANJAY BHATNAGAR,² SANDRA CASTRO,³ JENNIFER DONOVAN MEYER,⁴ BJORN EMONTS,⁴ ENRIQUE GARCIA,³ ROBERT GARWOOD,⁴ KUMAR GOLAP,² JUSTO GONZALEZ VILLALBA,³ PAMELA HARRIS,² YOHEI HAYASHI,⁵ JOSH HOSKINS,⁴ MINGYU HSIEH,² PRESHANTH JAGANNATHAN,² WATARU KAWASAKI,⁵ AARD KEIMPEMA,⁶ MARK KETTENIS,⁶ JORGE LOPEZ,⁴ JOSHUA MARVIL,² JOSEPH MASTERS,⁴ ANDREW MCNICHOLS,⁴ DAVID MEHRINGER,⁴ RENAUD MIEL,⁵ GEORGE MOELLENBROCK,² FEDERICO MONTESINO,³ TAKESHI NAKAZATO,⁵ JUERGEN OTT,² DIRK PETRY,³ MARTIN POKORNY,² RYAN RABA,⁴ URVASHI RAU,² DARRELL SCHIEBEL,⁴ NEAL SCHWEIGHART,⁴ SRIKRISHNA SEKSHAR,^{7,2} KAZUHIKO SHIMADA,⁵ DES SMALL,⁶ JAN-WILLEM STEEB,⁴ KANAKO SUGIMOTO,⁵ VILLE SUORANTA,⁴ TAKAHIRO TSUTSUMI,² ILSE M. VAN BEMMEL,⁶ MARJOLEIN VERKOUTER,⁶ AKEEM WELLS,⁴ WEI XIONG,¹ ARPAD SZOMORU,⁶ MORGAN GRIFFITH,⁴ BRIAN GLENDEENING² AND JEFF KERN⁴

¹*National Radio Astronomy Observatory, 800 Bradbury Dr., SE Ste 235, Albuquerque, NM 87106, USA*

²*National Radio Astronomy Observatory, P.O. Box O, Socorro, NM 87801, USA*

³*European Southern Observatory, Karl Schwarzschild Strasse 2, D-85748 Garching, Germany*

⁴*National Radio Astronomy Observatory, 520 Edgemont Road, Charlottesville, VA 22903*

⁵*National Astronomical Observatory of Japan, 2-21-1 Osawa, Mitaka, Tokyo 181-8588, Japan*


⁶*Joint Institute for VLBI ERIC, Oude Hoogeveensedijk 4, 7991 PD Dwingeloo, The Netherlands*

⁷*Inter-University Institute for Data Intensive Astronomy, University of Cape Town, Rondebosch, Cape Town, 7701, South Africa*

(Accepted by PASP on 27 Sept 2022)

ABSTRACT

CASA, the *Common Astronomy Software Applications*, is the primary data processing software for the Atacama Large Millimeter/submillimeter Array (ALMA) and the Karl G. Jansky Very Large Array (VLA), and is frequently used also for other radio telescopes. The CASA software can handle data from single-dish, aperture-synthesis, and Very Long Baseline Interferometry (VLBI) telescopes. One of its core functionalities is to support the calibration and imaging pipelines for ALMA, VLA, VLA Sky Survey (VLASS), and the Nobeyama 45m telescope. This paper presents a high-level overview of the basic structure of the CASA software, as well as procedures for calibrating and imaging astronomical radio data in CASA. CASA is being developed by an international consortium of scientists and software engineers based at the National Radio Astronomical Observatory (NRAO), the European Southern Observatory (ESO), the National Astronomical Observatory of Japan (NAOJ), and the Joint Institute for VLBI European Research Infrastructure Consortium (JIV-ERIC), under the guidance of NRAO.



CASA resources

- **CASA Docs:** official CASA documentation <https://casadocs.readthedocs.io>
- **CASA Website:** official CASA website (downloads) <https://casa.nrao.edu>
- **CASA Reference:** paper on [arXiv:2210.02276](https://arxiv.org/abs/2210.02276)
- **CASA email lists:** casa-announce → announcements, releases [Subscribe!](#)
casa-news → CASA Newsletter (casa.nrao.edu)
- **casa-feedback@nrao.edu:** general feedback

VLA / ALMA instrument teams:

- **CASA Guides:** data reduction strategies (telescope-specific)
<https://casaguides.nrao.edu>
- **Helpdesks:** VLA / ALMA data reduction questions
<https://help.nrao.edu> <https://help.almascience.org>
(coming soon: CASA Bug Report & Feature Request system)